

WiQo PRX-T and Micro Needling

Tips from Webinar



Discover other **PRX-T₃₃[®]** associations

- microneedling
- radiofrequency (RF)
- fractional lasers
- ablative non-fractional lasers
- platelet rich plasma (PRP)
- threadlifts (PDO, PLLA, PCL)
- carboxytherapy (CDT)
- dermal fillers (HA, CAHA, PLLA)
- injectable biorevitalization



SUMMARY:


MICRONEEDLING:

- **severs** the fibrous ligaments allowing the scar to rise
- **triggers** a regenerative response

PRX-T₃₃


- **New collagen** production
- Stimulates **growth factors & receptors**
- Remodels **ECM**

COMBINED STIMULATION



Indications

- **Photo- and chrono-ageing:** revitalization of the skin of face, body, hands, chest
- **Enlarged pores**
- **Depressed atrophic scars**
- **Stretch marks (old)**




PROTOCOL VARIATIONS

Indication	PRX-T33 technique	Needling type	Sessions
General rejuvenation	Three layers of PRX-T33 on the area to be treated, followed by microneedling Periocular and perioral wrinkles can also be treated with a small spatula	Periocular wrinkles with 0.5mm or 1mm. Smaller rollers (3 discs) are easier to maneuver. Perioral wrinkles with 1.5 / 2mm or electromechanical with 6/9 needle cartridges. For general rejuvenation of the whole face 0.5 mm or 1 mm	3-5 sessions with weekly intervals (except with the 2 mm -> wait 21 days)
Uneven texture without scars	Three layers of PRX-T33 on the area to be treated, followed by microneedling	0.5mm	5 sessions with 15 days intervals
Stretch Marks	Two layers of PRX-T33 on the area, followed by microneedling. Third step applied with a medium spatula for concentrated stimulation.	1.5 mm roller in combination with more intense and focused pen with 6/9 2mm needles cartridges on the stretch mark	6 sessions with intervals of 7-15 days. Then interval from 2-4 months. Second cycle of 5 session treatments.



PROTOCOL VARIATIONS

Indication	PRX-T33 technique	Needling type	Sessions
Acne scars (few)	Two layers of PRX-T33 on the area, followed by microneedling. Third step applied with a medium spatula for concentrated stimulation.	<ul style="list-style-type: none">Two layers on the whole areaPicotage with 32G needlePRX-T33 application focused with brush0.5 - 1.5mm roller depending on the condition of the area.Very quick layer of PRX-T33 - prepare with water to remove immediately (painful).	3-5 sessions every 21 days then break for 3-4 months then another 2-5 sessions at weekly intervals.
Acne scars (many)	Two layers of PRX-T33 on the area, + application with a small spatula on the deeper scars	2mm Needling over the whole area, then <i>fast</i> passage with PRX-T33	3-5 sessions every 20-30 days then break for 3-4 months then another 5 sessions at weekly intervals.
Dilated pores	Three layers of PRX-T33 on the whole area, followed by microneedling	0.2mm or 0.5mm needles. If you have large pores, scratch the pore walls with a hand needle.	3-5 sessions EVERY 15 DD with breaks of 4-6 months. Then second cycle of 2-3 sessions




Anaesthetics

NEEDLE LENGTH UP TO 0,5 mm

Numb the area with ice-packs prior to needling. It greatly reduces pain. Keep ice packs clean by washing them with hot water and soap.

NEEDLE LENGTH ABOVE 0,5 mm

Use a topical anesthetic. Apply quite some cream, cover with plastic foil and leave it for 15 to 45 minutes. Wipe it off just before rolling. It will numb the skin for about 30 minutes. Use according to instructions.



WiQO[®]
Academy



Avoid scratches by lifting the roller or needle cartridge


IDEAL METHOD

Roller repositioned
after each
movement.



SUB-OPTIMAL METHOD

Roller kept on the skin
after each movement.




WiQO[®]
Academy



Enlarged pores and lines...


- 4 treatments 4 weeks inbetween
- Needle lenght 0,5mm
- After needling 2 layers PRX
- Final result 4 weeks post last treatment





Expert tips

- **PRX-T33 gives significant improvement to for all skin morphotypes and has no age limitation**
- **Use unidirectional moves in every zone, following the lifting vector during the application**
- **Check the skin density in the lower face to control correct application**
- **Prescribe “Active Skin Program” for routine homecare to improve the result and satisfaction**




WiQO[®]
Academy



Striae

- 8 treatments 4-6 weeks inbetween
- Needle length 1,5mm
- 1 layer PRX-T33 pre Microneedling and then Needling with PRX-T33 in individual straes and one post layer of PRX-T33
- Final result 6 weeks post last treatment





WiQO[®]
Academy



Hypotrophic scars/pores

- 1 treatment
- Needle length 1,5mm
- PRX used with microneedling
- Final result 4 weeks post treatment






WiQO[®]
Academy



Hypotrophic scars back

- 2 treatments 6 week inbetween
- Needle lenght 1,5mm
- PRX used with needling
- Final result 4 weeks post last treatment





Treatment technique

Thank you

Elizabeth Moberg

Elizabeth@dermapromedical.se

